



Division of Transportation
Investment Management
Bureau of Transit, Local Roads, Railroads & Harbors
PO Box 7913
Madison, WI 53707-7913

Jim Doyle, Governor
Frank J. Busalacchi, Secretary
Internet: www.dot.wisconsin.gov

Telephone: 608-267-7350

Facsimile (FAX): 608-266-0658

December 9, 2010

VALERIE CARPENTER
TOWN OF WASHINGTON
PO BOX 220
WASHINGTON ISLAND WI 54246-0220

Ref. No. 15028

Dear Chief Elected Official, Municipal Treasurer, and Municipal Clerk:

Subject: Final Calculation for Calendar Year 2011 General Transportation Aids

The following is our final calendar 2011 calculation of your General Transportation Aids (GTA). As a result of the review of reported costs, this figure may vary from the estimate we provided in September 2010. The input data and a summary of your GTA calculation are identified on the back of this letter. An expanded description of the calculation process and data definitions are provided on the GTA homepage at www.dot.wisconsin.gov/localgov/highways/docs/gta-dataglossary.pdf

Your 2011 General Transportation Aids will be distributed in four equal payments as follows:

January 3	\$30,437.16	
April 4	\$30,437.16	2011 GTA Total \$121,748.67
July 5	\$30,437.16	
October 3	\$30,437.19	

NOTE: SINCE THE TREASURER WILL RECEIVE THE QUARTERLY PAYMENT NOTICE, THIS IS YOUR OFFICIAL NOTICE FOR THE CALENDAR 2011 PAYMENTS. Your January payment will be electronically deposited (ACH). Please keep your bank routing number updated to reflect your current checking account number. If you change banks or bank accounts, please contact Carol Doran at the Department of Revenue with the new information. Name or address changes, as well as your daytime phone number, e-mail address, or fax number, should also be reported to Carol. Her contact information is:

Carol Doran, Department of Revenue
P.O. Box 8971, Madison, WI 53708-8971
e-mail: carol.doran@revenue.wi.gov
Phone: (608) 266-2569, Fax: (608) 264-6887

The clerk will receive the 2010 DOR Financial Report Form in January 2011. It is your responsibility to submit a complete and accurate report by the deadline. How you report eligible costs and whether or not you file the report by the deadline may have an impact on your future payments.

Sincerely,

Lori A. Richter, GTA/CHA Program Manager
Telephone: (608) 266-0254
FAX: (608) 266-0658

Valerie Carpenter

From: Kerwin, Rebecca [rkerwin@co.door.wi.us]
Sent: Monday, December 27, 2010 11:40 AM
To: 'tbaileysharbor@dcwis.com'; 'jpenterprises@dcwis.com'; 'cro4148@yahoo.com'; Neinas, John; 'gdelveaux@yahoo.com'; 'bvandertie@centurytel.net'; 'sjbongle@dcwis.com'; 'mdj920@gmail.com'; 'towneggharbor@newwis.com'; 'towneggharbor@newwis.com'; 'towneggharbor@newwis.com'; 'rkerscher@centurytel.net'; 'geraldu@centurytel.net'; 'mnelson6149@yahoo.com'; 'togclerk@doorpi.net'; DeWitt, Paul; 'jbstein@centurytel.net'; 'tog@charterinternet.com'; 'tog@charterinternet.com'; 'tog@charterinternet.com'; 'jtownclerk@dcwis.com'; 'jeannemajeski@gmail.com'; 'karileeanderson@hotmail.com'; 'tlibertygrove@dcwis.com'; 'tlibertygrove@dcwis.com'; 'ngoss@libertygrove.org'; 'nasewaupeeclerk@gmail.com'; 'sullys@doorpi.net'; 'smithl@uwgb.edu'; 'office@townofsevastopol.com'; Zipperer, Leo; 'jkstaveness@yahoo.com'; 'nlanschut@yaho.com'; 'dancihlar@hotmail.com'; 'wlutley@doorpi.net'; 'laluzerne@centurytel.net'; Fontaine, Cletus; 'g3mi@itol.com'; 'townoffice@washingtontown-wi.gov'; 'townoffice@washingtontown-wi.gov'; 'mkickbush@hotmail.com'; Zipperer, Leo
Cc: BURKE, ROB; GOODE, MARIAH
Subject: Educational/Discussion Meetings for Local Officials - January 31st

Hello, Municipal Officials -

Please mark your calendars for the upcoming Municipal Educational/Discussion meetings, as described below, and make sure to forward and/or present this e-mail as correspondence at your next board and plan commission meetings so all members are made aware of these meetings. Note that the first meeting will start at 6:00 p.m., rather than our usual start time of 5:30 p.m., and will be very informal – officials who want help/advice on any local comprehensive plan implementation issues, or who are interested in having their last questions answered about the proposed housing-related zoning ordinance text amendments (the hearings for which will be held February 3rd), or who have other planning/zoning-related questions should plan on attending the first meeting.

Educational/Discussion Meetings for Local Officials

Monday, January 31, 6:00 p.m. & 7:00 p.m.

Peninsula Room, 1st Floor, Government Center (421 Nebraska St., Sturgeon Bay)

Topics:

6:00 p.m. - Informal discussion regarding town-level and county-level comprehensive plan implementation issues, including the proposed housing-related zoning ordinance text amendments and any other planning/zoning topics of interest to town officials.

7:00 p.m. - Overview and Q&A regarding the state-level farmland preservation programs and the county planning process. All town officials are encouraged to attend, even if you attended (or watched subsequently) the November 30th farmland preservation plan kick-off meeting. For those who did attend the kick-off meeting, note that the January 31st presentation will be a condensed version and also that we expect to begin review of the town-level farmland preservation maps, so you shouldn't find the meeting to be too repetitive.

Let me know if you have any questions. We will send a hard-copy mailing/invitation about two weeks prior.

Rebecca Kerwin

Planner II

Door County Planning Department

421 Nebraska Street

Sturgeon Bay, WI 54235

**Copy in each T.B.
Mailbox 12/27/2010**

Becher Hoppe

Engineers and Architects
Improving Communities

Wausau Region Chamber
2010 Small Business of the Year!

330 Fourth Street • PO Box 8000 • Wausau, WI 54402-8000
715.845.8000 • fax 715.845.8008 • becherhoppe.com

December 15, 2010

Wisconsin Department of Natural Resources
Bureau of Waste and Materials Management
GEMS Data Submittal Contact, WA/5
P.O. Box 7921
Madison, Wisconsin 53707-7921

Subject: Environmental Monitoring Data Submittal – July and October 2010
Washington Island Landfill (Lic. No. 2837), FID No. 415010530

Dear GEMS Contact:

The most recent semi-annual results for environmental monitoring conducted at the Washington Island Landfill are enclosed. A Monitoring Data Certification Form and a diskette with the comma-delimited file of electronic data are enclosed. This letter explains that one value of 683 for conductivity at well B-16 was slightly higher than its Preventive Action Limit (PAL) of 650 micromhos/cm for the water sample collected October 12, 2010. This result is within the usual range measured at the same point over the past ten years, and its concentration is lower than the other site wells' conductivity PALs. For this facility there are no significant data values or trends, and no other constituents of concern at this time.

Please enter these environmental data into the Washington Island Landfill monitoring file. The July and October results continue to appear reasonable.

Thank you,



Evelyn Fisher, P.E.
Senior Project Manager

Enclosures: Disk, Monitoring Data Certification Form, soil gas monitoring form

cc: Timothy Jessen, Chairman, Town of Washington
Greg Jensen and Valerie Carpenter, Town of Washington (with analytical report for file)
Greg Tilkens, Wisconsin Department of Natural Resources

COPY

Notice: Personally identifiable information collected will be used for program administration and enforcement purposes. The Department may also provide this information to requesters as required under Wisconsin's Open Records law, ss. 19.31 to 19.39, Wis. Stats. When submitting monitoring data, the owner or operator of the facility, practice or activity is required to notify the Department in writing that a groundwater standard or an explosive gas level has been attained or exceeded, as specified in ss. NR 140.24(1)(a); NR 140.26(1)(a); NR 507.30NR 635.14(9)(a); NR 635.18(20) and NR 507.30, Wis. Adm. Code. Failure to report may result in fines, forfeitures or other penalties resulting from enforcement under ss. 289.97, 291.97 or 299.95, Wis. Stats.

Instructions:

- Prepare one form for each license or monitoring ID.
- Please type or print legibly.
- Attach a notification of any values that attain or exceed groundwater standards (that is, preventive action limits, enforcement standards or alternative concentration limits). The notification must include a preliminary analysis of the cause and significance of each value.
- Attach a notification of any gas values that attain or exceed explosive gas levels.
- Send the original signed form, any notification, and Electronic Data Deliverable [EDD] to: GEMS Data Submittal Contact - WA/5

Bureau of Waste Management
Wisconsin Department of Natural Resources
101 South Webster Street
Madison WI 53707-7921

Monitoring Data Submittal Information

Name of entity submitting data (laboratory, consultant, facility owner):

Becher Hoppe Associates, Consultant

Contact for questions about data formatting. Include data preparer's name, telephone number and E-mail address:

Name: Chris Geske, Northern Lake Service Phone: (715) 478-2777

E-mail: lims@nlslab.com

Facility name:	License # / Monitoring ID	Facility ID [FID]	Actual sampling dates (e.g., July 2-6, 2003)
Washington Island Landfill	2837		July 19, 2010 through October 12, 2010

The enclosed results are for sampling required in the month(s) of: (e.g., June 2003)

October 2010

Type of Data Submitted (Check all that apply)

- | | |
|---|---|
| <input checked="" type="checkbox"/> Groundwater monitoring data from monitoring wells | <input checked="" type="checkbox"/> Gas monitoring data |
| <input type="checkbox"/> Groundwater monitoring data from private water supply wells | <input type="checkbox"/> Air monitoring data |
| <input type="checkbox"/> Leachate monitoring data | <input type="checkbox"/> Other (specify) _____ |

Notification attached?

- No. No groundwater standards or explosive gas limits were exceeded.
- Yes, a notification of values exceeding a groundwater standard is attached. It includes a list of monitoring points, dates, sample values, groundwater standard and preliminary analysis of the cause and significance of any concentration.
- Yes, a notification of values exceeding an explosive gas limit is attached. It includes the monitoring points, dates, sample values and explosive gas limits.

Certification

To the best of my knowledge, the information reported and statements made on this data submittal and attachments are true and correct. Furthermore, I have attached complete notification of any sampling values meeting or exceeding groundwater standards or explosive gas levels, and a preliminary analysis of the cause and significance of concentrations exceeding groundwater standards.

Evelyn Fisher, Becher Hoppe

(715) 845-8000

Facility Representative Name (Print)

Title

(Area Code) Telephone No.

Evelyn Fisher
Signature

12/15/2010
Date

FOR DNR USE ONLY. Check action taken, and record date and your initials. Describe on back side if necessary.

Found uploading problems on _____ Initials _____

Notified contact of problems on _____ Uploaded data successfully on _____

EDD format(s): Diskette CD (initial submittal and follow-up) E-mail (follow-up only) Other

Washington Island Landfill

WDNR Lic. 2837

Quarterly Gas Monitoring Measurements (July 2010)

Date: 7/19/2010 Time: 1:36 PM

Crew: Greg Jensen

Weather: Partly cloudy

Air Temp: 78 °F [00011]

Barometric Pressure: 29.87 (inch mercury) Report in mm: 758.7 [00025] Barometric Trend: Rising [46381] Rising (1), Falling (-1), or Steady (0)

Ground Conditions: Dry, Damp, Saturated, Ice, Snow, Other

Instrument: MSA Passport

Gas Probe Name	Methane (% L.E.L.)	Oxygen (%O ₂ by Vol.)	Methane (% CH ₄ by Vol.)	Methane LOD
	Field	85550	85547	
	Reading		To Report	0.1 %v
B-18	011	20.8	<0.1	<0.1

Other Notes:

Washington Island Landfill

WDNR Lic. 2837

Quarterly Gas Monitoring Measurements (October 2010)

Date: 10/7/2010 Time: 9:00 a.m.

Crew: Greg Jensen

Weather: Clear - sunny

Air Temp: 56 °F [00011]

Barometric Pressure: 30.02 (inch mercury) Report in mm: 762.5 [00025] Barometric Trend: Rising [46381] Rising (1), Falling (-1), or Steady (0)

Ground Conditions: Dry, Damp, Saturated, Ice, Snow, Other

Instrument: MSA Passport

Gas Probe Name	Methane (% L.E.L.)	Oxygen (%O ₂ by Vol.)	Methane (% CH ₄ by Vol.)	Methane LOD
	Field	85550	85547	
	Reading		To Report	0.1 %v
B-18	011	20.8	<0.1	<0.1

Other Notes:

The Town of Washington town board is agreeing to a continuation of our current service agreement for five years with Veolia. All portions of the service agreement, including a lease for the new compactor for co-mingles, is for five years.

The rates reflected in the other service areas are comparable to the Nov -Dec statement we have. They reflect an increase of \$30 .00 in Dump and Return (switch)

The savings in fewer trips will come to \$3300.00 after the cost of the lease. The savings will of course be enhanced as fuel and ferry transport fees increase over time of the five year lease period.



WASHINGTON ISLAND POLICE DEPARTMENT


1 Airport Road • P.O. Box 190
 Washington Island, WI 54246
 Office: (920) 847-2355 Fax: (920) 847-2315
 Email: wipd@bpl.coop
www.washingtonisland-wi.gov
 Tyler P. McGrane, Officer In Charge

TRAINING REQUEST, APPROVAL AND ENTRY FORM

Officer: Tyler McGrane		Date of Request: 12/22/10	
Subject: Wisconsin Pipeline Association – Emergency Response Meeting			
Training Date(s): 2/2/2011		Training Times: 6pm – 8:30pm	
Location: NWTC – Sturgeon Bay Campus		Instructor:	
Street Address: 229 N. 14 th Avenue		City/State/Zip: Sturgeon Bay, WI 54235	
Comments: See attached.			
Costs			
Type	Explanation	Amount	
Fees:	Tuition, books, materials	\$ Free	
Travel:	Mileage, Lodging, Meals (<i>state rates</i>)	\$ TBD	
	Ferry Charge (<i>2010 rate; driver & vehicle roundtrip</i>)	\$ 36.50	
Other:		\$	
Approval			
Officer In Charge:			Date:
Town Board:			Date:

Updated 1/31/2010

2011



WISCONSIN PIPELINE ASSOCIATION

EMERGENCY RESPONSE MEETING

WISCONSIN PIPELINE ASSOCIATION MEMBERS:

Enterprise LLC, Koch Pipeline Company LP, Madison Gas & Electric Company, Magellan Pipeline Company, Northern Natural Gas Company, ONEOK Partners-LP/Guardian Pipeline LLC, ONEOK Partners-LP/Viking Gas Transmission Co., St. Croix Gas Company, We Energies, Wisconsin Public Service

WHO SHOULD ATTEND:

Public safety agencies, fire departments, police departments, rescue services, emergency government representatives, public officials

WHAT WILL BE COVERED:

Electric and natural gas general emergency response procedures; how to contact pipeline operators; physical properties of gasoline, fuel oil, propane and natural gas; and requirements to help meet national emergency preparedness. A certificate of completion will be provided.

2011 WISCONSIN PIPELINE ASSOCIATION SAFETY MEETINGS:

January 24, 2011

Lakeshore Technical College

Michigan Room, 1290 North Avenue, Cleveland, WI

Registration:

6:00 PM

Presentation:

6:30 – 8:30 PM

To Register, Contact:

Ryan Skabroud at Ryan.Skabroud@gotoltc.edu or (920) 693-1347

January 26, 2011

Northeast Wisconsin Technical College

Green Bay Campus – Room SC132, 2740 West Mason Street, Green Bay, WI

Parking Lot F, West side of the campus off Country Club Rd., enter through door #5

2 options available:

Registration:

12:30 PM

- OR -

6:00 PM

Presentation:

1:00 – 3:00 PM

6:30 – 8:30 PM

To Register, Contact:

Michael Molnar at michael.molnar@nwtc.edu or (920) 498-7175

February 2, 2011

Northeast Wisconsin Technical College

Sturgeon Bay Campus – Room 103, 229 N. 14th Avenue, Sturgeon Bay, WI

Parking available in the side lot (student parking)

Registration:

6:00 PM

Presentation:

6:30 – 8:30 PM

To Register, Contact:

Michael Molnar at michael.molnar@nwtc.edu or (920) 498-7175

February 8, 2011

Nicolet Technical College

Birchwood Center – BC107, 603 Champagne St., Rhinelander, WI

Registration:

6:00 PM

Presentation:

6:30 – 8:30 PM

To Register, Contact:

Leah Van Zile at lmvanzile@wisconsinpublicservice.com or (715) 369-7179

February 9, 2011

Northeast Wisconsin Technical College

Marinette Campus – Room 201, 1601 University Drive, Marinette, WI

Registration:

6:00 PM

Presentation:

6:30 – 8:30 PM

To Register, Contact:


Michael Molnar at michael.molnar@nwtc.edu or (920) 498-7175




WASHINGTON ISLAND POLICE DEPARTMENT

1 Airport Road • P.O. Box 190
 Washington Island, WI 54246
 Office: (920) 847-2355 Fax: (920) 847-2315
 Email: wipd@bpl.coop
www.washingtonisland-wi.gov
 Tyler P. McGrane, Officer In Charge

TRAINING REQUEST, APPROVAL AND ENTRY FORM

Officer: Gary Schultz		Date of Request: 12/22/10
Subject: ARIDE – Advanced Roadside Impaired Driving Enforcement		
Training Date(s): 1/24/2011 – 1/25/2011		Training Times:
Location: Ripon Police Department		Instructor: Joe Kiel/ Nick Place
Street Address: 100 East Jackson Street		City/State/Zip: Ripon, WI 54971
Comments: See attached.		
Costs		
Type	Explanation	Amount
Fees:	Tuition, books, materials	\$ Free
Travel:	Mileage, Lodging, Meals (<i>state rates</i>)	\$ TBD
	Ferry Charge (<i>2010 rate; driver & vehicle roundtrip</i>)	\$ 36.50
Other:		\$
Approval		
Officer In Charge: 		Date: 12-22-2010
Town Board:		Date:

Updated 1/31/2010



eTIME | Features | Legal | Resources | Training | SPE System | Squad | Site
Drawer | Status | Room | Map

Training Announcement Details

ARIDE - Advanced Roadside Impaired Driving Enforcement

Provider: Ripon Police Department

Date(s): 01/24/2011 - 01/25/2011

Registration Deadline: 01/21/2011

Cost: \$0.00

Instructor/Vendor: Joe Kiel/Nick Place

Training Site Location: Ripon Police Department

100 East Jackson Street Ripon, WI 54971

Description: ARIDE is intended to bridge the gap between the Standardized Field Sobriety Test and Drug Recognition Expert training by providing officers with general knowledge related to drug impairment and by promoting the use of DREs in states that have the DEC Program. One of the more significant aspects of ARIDE is its review and required student demonstration of the SFST proficiency requirements. The ARIDE program also stresses the importance of securing the most appropriate biological sample in order to identify substances likely causing impairment.

Contact: Nick Place

Phone: (920) 748-2888

Email: nplace@cityofripon.com

WASHINGTON ISLAND RECREATION CENTER

Post Office Box 68 – Washington Island, Wisconsin 54246

January 5th, 2011

Dear Town Board,

The Washington Island Mosling Recreation Center is recommending Jenny Stults to serve as a board member on the Rec Center Committee. We would like your final approval to appoint her to this position.

Thank you,



Katie McGrane
Rec Center Manager